

# Swimming Pool Wholesale Warehouse

216 Dale Avenue  
Shelbyville, TN 37160

TEL: 800-784-4157  
FAX: 931-685-4715

## Safety Cover Measuring Form

### DEALER INFORMATION

DATE: \_\_\_\_\_  
NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_  
Email: \_\_\_\_\_  
Phone (daytime): \_\_\_\_\_

### SHIPPING INSTRUCTIONS

SHIP TO: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

### SHIP VIA

BEST WAY  
AIR SERVICE:  Overnight  2nd Day  3rd Day  
 CUSTOMER PICK-UP  
 MOTOR FREIGHT - Please specify carrier: \_\_\_\_\_

**COVER INFORMATION - SPECIFIC COVER TYPE MUST BE CHOSEN! IF NO TYPE IS CHOSEN LOOP-LOC WILL GIVE ONLY ONE QUOTE FOR THE GREEN MESH SAFETY COVER.**

POOL TYPE:  In-Ground  On-Ground

### MESH COVERS

- LOOP-LOC MESH GREEN SAFETY COVER  
 Brass Anchors  Wood Deck Anchors (Up Charge)  
 Masonry Anchor Collars (Up Charge)
- LOOP-LOC DESIGNER COLOR MESH ONLY  
 Blue  Black  Gray  
 Brass Anchors  Wood Deck Anchors (Up Charge)  
 Masonry Anchor Collars (Up Charge)
- LOOP-LOC ON-GROUND SWIMMING POOL COVER  
Deck must be self supporting.  
 On-Ground Brackets  Wood Deck Anchors
- COMMERCIAL COVER  
Over 2100 square feet - Rectangle & Formfit made with approximate 3' sections.  
 Skimmer Pool  Gutter Pool (Send photo's & give all dimensions.)



### ULTRA-LOC SOLID COVERS

- ULTRA-LOC SOLID SAFETY WITH MESH DRAINS  
(Solid Coated Green Mesh w/Mesh Drains)  
 Brass Anchors  Wood Deck Anchors (Up Charge)  
 Masonry Anchor Collars (Up Charge)
- ULTRA-LOC SOLID SAFETY - NO DRAINS WITH PUMP  
(Solid Coated Green Mesh, No Drains, Loop-Loc's Automatic Cover Pump must be purchased at an additional cost to be considered as a Safety Cover.)  
 Brass Anchors  Wood Deck Anchors (Up Charge)  
 Masonry Anchor Collars (Up Charge)
- REPLACEMENT COVER - show existing anchor placement or return old cover, freight pre-paid. Specify if new hardware is required.  
 Anchors  Springs
- SPECIAL RECTANGLE (Mesh or Solid - additional cost)  
Any rectangle made with approximate 3' sections.  
Required for Rectangles w/10' or more of raised wall treatment.

### ADDITIONAL HARDWARE NEEDED (USE IF EXTRA HARDWARE IS REQUIRED ONLY)

Please note any additional hardware with quantities here: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_  
\_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

### PLEASE CHECK THE APPROPRIATE BOX:

ESTIMATE

If one box is not checked, we will consider this an estimate. Please include your deposit check to expedite delivery!

ORDER

ADDITIONAL INFORMATION

If this job has been submitted previously, please check the Additional or Confirming boxes.

CONFIRMING

NAME: \_\_\_\_\_

	A	B		A	B		A	B
1			21			41		
2			22			42		
3			23			43		
4			24			44		
5			25			45		
6			26			46		
7			27			47		
8			28			48		
9			29			49		
10			30			50		
11			31			51		
12			32			52		
13			33			53		
14			34			54		
15			35			55		
16			36			56		
17			37			57		
18			38			58		
19			39			59		
20			40			60		

**REQUIRED INFORMATION!**

DISTANCE POINT A TO POINT B \_\_\_\_\_

**POINT TO POINT CROSS DIMENSIONS**

PT. _____ to PT. _____	PT. _____ to PT. _____
Distance = _____	Distance = _____
PT. _____ to PT. _____	PT. _____ to PT. _____
Distance = _____	Distance = _____

**RAISED AREAS**

Begins @ PT. # \_\_\_\_\_ Ends @ PT. # \_\_\_\_\_  
 Begins @ PT. # \_\_\_\_\_ Ends @ PT. # \_\_\_\_\_

**POOL TYPE**

Gunite     Package     On-Ground  
 Indicate Package or On-Ground Manufacturer

**COPING INFORMATION**

Aluminum Receptor    Coping Width \_\_\_\_\_  
 Other/Specify \_\_\_\_\_  
 Is Coping Rough?     YES     NO  
 Price W/Under Cover Padding?     YES     NO


**DECKING INFORMATION**

3'     3' Or More     4' Or More  
 Less Than 3' - How Much Deck Is Available? \_\_\_\_\_  
 Deck Type \_\_\_\_\_  
 -----  
 Loop Loc Pipes Wanted For Entire Cover?  YES     NO  
 What Is Corner Radius? \_\_\_\_\_  
 Do You Want Cut Corners?     YES     NO

PROVIDE INSIDE POOL DIMENSIONS ONLY • SHOW LOCATION OF POINTS "A" & "B" IN RELATION TO POOL • SHOW ALL OBSTRUCTIONS & PLANTERS  
 • SHOW AREAS WHERE DECK IS LESS THAN 3' FROM WATERLINE TO OUTSIDE OF DECK INCLUDING COPING

**\*\* DISTANCE FROM POINT "A" TO POINT "B" = \_\_\_\_\_ \*\***

"A-B" Measurements cannot be used unless this distance is given!



# AVOID DELAYS IN PROCESSING BY ANSWERING ALL THE QUESTIONS BELOW!

<b>CHECK ONE</b>	<b>YES</b>	<b>NO</b>
1. Are there any <b>non-removable</b> handrails, grabrails, or ladders?...	<input type="checkbox"/>	<input type="checkbox"/>
a. "A-B" dimensions are required to front center of all rails, blocks, cups, and to the points where rails dip below coping.		
b. Distance rails extend into pool _____ Distance rails are set back from pool _____ Type of grabrail: <input type="checkbox"/> Rail <input type="checkbox"/> Concrete block/Anthony type		
2. Are there any raised rail sockets?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. "A-B" measure front center of socket.		
b. Height of sockets _____		
3. Are there any grab rocks?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, <b>PLEASE SEND PHOTO!</b> "A-B" front center of each grab rock, and provide width of each.		
b. Width of each grab rock _____ Distance grab rocks are set back from pool _____		
4. Is there a <b>non-removable</b> fillspout?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. "A-B" dimensions needed for start and end of pipe.		
b. Fillspout is: <input type="checkbox"/> Level with deck <input type="checkbox"/> Raised If raised, how high? _____ Distance set back from pool _____		
c. Is end of spout below coping?..... Distance into pool _____ Distance below coping level _____	<input type="checkbox"/>	<input type="checkbox"/>
5. Is there a dive stand?.....	<input type="checkbox"/>	<input type="checkbox"/>
Distance set back from pool _____ "A-B" Measure base if closer than 2' from poolline.		
a. Is diving board removable?.....	<input type="checkbox"/>	<input type="checkbox"/>
b. Is LOOP-LOC Dive Stand Kit required?.....	<input type="checkbox"/>	<input type="checkbox"/>
6. Is there a dive rock?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, <b>PLEASE SEND PHOTO!</b> "A-B" the sides and front of rock, as well as the pool wall, using 1' intervals. PT. #'s _____		
b. Distance rock overhangs pool edge _____ Distance rock extends below deck level _____		
7. Are there slide legs within 2' of pool?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, give "A-B" dimensions to each leg, and give the distance each is set back from pool edge.		
8. Is there a spa? If yes, <b>PLEASE SEND PHOTO!</b> .....	<input type="checkbox"/>	<input type="checkbox"/>
a. Is spa to be included in this estimate/order?.....	<input type="checkbox"/>	<input type="checkbox"/>
Is separate cover required for spa?.....	<input type="checkbox"/>	<input type="checkbox"/>
One cover for pool and spa?.....	<input type="checkbox"/>	<input type="checkbox"/>
b. Is spa raised above pool?.....	<input type="checkbox"/>	<input type="checkbox"/>
If yes, how high? _____		
c. Is spa dividing wall flush with top of coping?..... "A-B" DIMENSIONS REQUIRED ALONG SPA WALL ON BOTH SPA & POOL SIDE OF WALL.	<input type="checkbox"/>	<input type="checkbox"/>
d. Does spa wall have an open spillway?..... If yes, "A-B" dimensions are required to locate spillway.	<input type="checkbox"/>	<input type="checkbox"/>
e. If solid w/drains, is drain panel wanted in spa area?.....	<input type="checkbox"/>	<input type="checkbox"/>
f. Are there any other specific spa cover design instructions?.....	<input type="checkbox"/>	<input type="checkbox"/>
Please specify! _____		

<b>CHECK ONE</b>	<b>YES</b>	<b>NO</b>
9. Is there a planter or grass area?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, <b>PLEASE SEND PHOTO</b> , and give "A-B" dimensions. PT #'s _____ / _____ / _____		
b. Installation method in planters: <input type="checkbox"/> Anchor-in-pipe. Do you want Loop-Loc Pipes?... <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Loop-Loc Stake* <input type="checkbox"/> <input type="checkbox"/> * (Number of stakes must not exceed 10% of total installation for safety and warranty qualifications.)		
10. Is there a raised wall, raised bond beam, or raised planter?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, <b>PLEASE SEND PHOTO!</b>		
b. Is wall strong enough for cover to attach to it with snap hooks and eyebolts?.....	<input type="checkbox"/>	<input type="checkbox"/>
c. "A-B" the beginning and end of the raised areas, as well as points along the wall, at 1' intervals.		
d. Height of wall _____ (Please note: all Rectangles with 10' or more of raised wall must be priced as a Special Rectangle.)		
11. Is there a waterfall or rock formation?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, <b>PLEASE SEND PHOTO!</b> "A-B" the beginning, the end, and the front and sides of the formation, as well as the pool wall, at 1' intervals.		
b. Is wall strong enough for cover to attach to it with snap hooks and eyebolts?.....	<input type="checkbox"/>	<input type="checkbox"/>
c. Distance rocks overhang pool edge _____		
12. Are there varying deck levels?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, <b>PLEASE SEND PHOTOS!</b> Indicate height of each level change, and "A-B" each level, including points on risers to show angle away from pool edge.		
13. If you answered yes to any questions in 10 - 12 please select treatment wanted below:		
<input type="checkbox"/> Raised Wall Treatment <input type="checkbox"/> Up & Over Treatment (No opposing eyebolts for SAFETY cover) (SAFETY Limits: Max. Step Ht. 9"; Steps Min., 3' Apart; Max. Total Rise 18")		
(LOOP-LOC will consider design preference secondary to SAFETY performance, unless otherwise instructed by dealer.)		
14. Is there a wood deck area?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, show location on sketch.		
b. Are Loop-Loc Wood Deck Anchor Flanges required?.....	<input type="checkbox"/>	<input type="checkbox"/>
15. <b>ON-GROUND POOLS: Deck <u>must</u> be self supporting!</b>		
a. Are there varying deck sizes?(If Yes, submit sketch.).....	<input type="checkbox"/>	<input type="checkbox"/>
b. If deck is wood indicate: <input type="checkbox"/> Loop-Loc Wood Deck Flanges <input type="checkbox"/> Loop-Loc On-Ground Brackets		
16. <b>COMMERCIAL POOLS:</b> (ie: over 2,100 sq. ft. - <b>MESH only</b> ).....	<input type="checkbox"/>	<input type="checkbox"/>
Pool type: <input type="checkbox"/> Skimmer <input type="checkbox"/> Gutter		
If gutter pool, <b>PLEASE SEND PHOTO</b> and give all gutter dimensions		
17. Is mesh cover to be manufactured in a <b>Designer Color</b> ?.....	<input type="checkbox"/>	<input type="checkbox"/>
What color? <input type="checkbox"/> Blue <input type="checkbox"/> Gray <input type="checkbox"/> Black		
18. Are there any specific design instructions? Please specify!		
_____		
_____		

# MEASURING INSTRUCTIONS

1. Begin with a freehand sketch indicating inside pool dimensions. Include deck area, planters and any obstructions within 3' of the waterline. **A photo of the pool is needed when rocks, waterfalls, raised walls, spas or anything out of the ordinary exists.**
  2. Establish two points, "A-B" with "A" on the left as shown. "A-B" line must be at least 3' away from the pool and 2/3 the length of the pool; 20'-25' is typical (show this on the sketch). To mark "A-B" points on deck - use chalk marks, on ground - use stakes in the dirt.
- NOTE:** The "A-B" line **must never** cross the pool line and should be approximately 3' away from the pool at the closest point (4' to 5' away for pools over 44' long).
3. Using chalk, mark and number points along the inside edge of the pool at approximately 3' intervals. Number all corner points, ladders, handrails, grabrails, slide legs, rocks, spillways, spa walls separating spa and pool, fill spout and dive stand. **1' to 2' intervals should be used in small or tight radius areas and raised wall areas.** At least 3 points along straight walls.
  4. Measurements are now taken from point "A" to point #1, then point #2, and all the way around the pool. Then measure from point "B" to same point #1 and then #2, as you did for point "A". Measurements are listed in column format as shown.
  5. Take measurements **between 2 known points** to determine the **length and width** of the pool. Additional measurements for difficult pools are suggested. Cross dimensions to any raised beam obstacles are also recommended.

NO.	A	B
1	12'-3"	28'-5"
2	13'-8"	29'-7"
3	14'-0"	32'-6"
4		
5		
6		
7		
8		
9		
10	CONTINUE	CONTINUE
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		

